


DALI EPICON SERIES



IN ADMIRATION OF MUSIC

DALI EPICON ESCAPE TO REALITY



The EPICON series is no less than DALI's new reference loudspeaker series. Standing on the shoulders of virtues from the acclaimed EUPHONIA series, EPICON takes you one step closer to "the real thing".

Incorporating matchless new driver technology, proprietary in-house made woofers and majestic appearance, EPICON proves that music, sound reproduction and loudspeaker design are indeed alive and well. Significantly, EPICON features nothing less than a world premiere: the Linear Drive Magnet System, which reduces distortion as never heard before.

GENUINE PASSION

There are musical experiences in life so epic that you wish they would never end. Moments so wonderfully overpowering the very thought of them makes your heart tremble, your mind go wandering and your ears yearn for more. With the new, awe inspiring DALI EPICON loudspeakers you can relive that sensation, again and again.

DALI has been a pioneer of audio technology for three decades. Musical boundaries have been broken and no stone left unturned in the adventurous quest for the perfect audiophile experience to equal those heard at concert halls, live music venues and cinemas. The result is the EPICON series – yet another bold step into the future of sound.



Designed by and for people with a genuine passion for impeccable audio experiences, EPICON delivers a mind-blowing three-dimensional sound that honours the music and the musician like never before. The beautifully crafted curved cabinets won't disappoint you either. The extraordinary EPICON sound is dressed in a choice of three high-grade wood veneers which are then finished with ten layers of highly polished lacquer for a truly luxurious high-gloss finish. Elegant, timeless, seductive - like the sound.

Just listen...once heard, we promise you will never want to go back.

REPLAY, RELIVE



4



DALI EPICON 8

The absolute pinnacle of the EPICON series, the EPICON 8 delivers dramatically rich and detailed sound that will blow your mind and captivate your senses. This incredible loudspeaker is the result of a passionate, tireless quest for perfection. Prepare yourself for true musical indulgence like never before and for a beautifully statuesque design that will grace any home.

In the EPICON 8, two 8" woofers are complemented by a 6½" mid-range driver to peel away the layers of a recording and delicately separate vocals and instruments. These ground-breaking loudspeakers also feature our hybrid ribbon/soft dome tweeter module and deliver the largest, most room-filling sound of the EPICON family.



5

SEDUCTION OF THE SENSES



6



DALI EPICON 6

Allow sensational musical moments to live on in the comfort of your own home with the revolutionary EPICON 6. Designed to make a lasting impression, the exterior of the loudspeaker is as captivating to the eye as the sound is to the ear.


The backbone of the EPICON Series is DALI's new unrivalled driver technology. The EPICON 6 features two 6½" woofers, the unique Linear Drive Magnet System and the revolutionary ribbon/soft dome hybrid tweeter, which combine to allow EPICON's sound to break with traditional loudspeaker conventions. Sit back and enjoy impeccable high frequencies and voice reproductions so lifelike, you will feel as if you are in the middle of a live performance.



7

ESCAPISM FOR THE MIND

8



DALI EPICON 2

If you dream of fantastic sound experiences the EPICON 2 is the perfect escape. Don't be fooled by the size of the speaker – the most diminutive in the EPICON family. Sitting gracefully upon its custom-made stand EPICON 2 produces an astonishingly large and accurate three-dimensional sound that will impress even the most rigorous demands of true audiophiles.

The two-way design features a 6½" bass driver and a soft dome exclusively used in the EPICON 2. In fact, the technological breakthroughs designed for the larger EPICON 6 and 8 models have been channelled into EPICON 2 to create a speaker that performs way beyond its size expectations.

9





SOUND
DESIGNED
TO MOVE
YOU

JUST LISTEN

12



DALI EPICON VOKAL

Turn your living room into a world-class movie theatre. Experience every word, shout or whisper in ultimate clarity with the movie star of the EPICON family, the VOKAL centre speaker - effortlessly reproducing human voices and delivering audio tracks with stunning realism and accuracy.

The EPICON VOKAL features two 6½" bass drivers and DALI's hybrid ribbon/soft dome module. The meticulous timbre matching and finer details that are the hallmarks of EPICON makes this a truly unique focal point of your home theatre. Combine the EPICON VOKAL with your choice of loudspeakers from the EPICON series to enjoy an unrivalled home cinema experience. Please note: Popcorn not included!

13



...AND
ACTION

14



DALI SUB P-10 DSS

When the movie gets intense, you need a dedicated subwoofer to supply deep, controlled and punchy bass to keep up with the action!

The SUB P-10 DSS will shake your foundations without compromising the details and demonstrate the exact difference between a crack of thunder and a booming explosion. The timbre is perfectly matched to the rest of the EPICON series.

The SUB P-10 DSS is driven by its own built-in 300 watts digital amplifier and features three 10" carbon fibre drives (one active and two passive) that will authoritatively envelop you in flawless deep bass tones. The toggle switch allows you to select the perfect audio setting for any music or home cinema experience.



15

MADE IN DENMARK

16



Attention to Detail

17



TECHNICAL INFORMATION

Visit our dedicated EPICON micro site for more in-depth information about the EPICON series.

www.dali-epicon.com



DALI EPICON 8



Frequency Range [+/- 3] dB [Hz]	35-30,000
Sensitivity [2.83V/1m] [dB]	89.0
Nominal Impedance [ohms]	5
Maximum SPL [dB]	112
Recommended Amp. Power [Watts]	50-500
Crossover Frequencies [Hz]	550/3.100/15,000
Crossover Principle	3+½-way
High Frequency Driver	1 x 29 mm soft dome 1 x 10 x 55 mm ribbon
Low Frequency/Midrange Driver(s)	2 x 8" / 1 x 6½"
Enclosure Type	Bass reflex
Bass Reflex Tuning Frequency [Hz]	28.0
Connection Input(s)	Bi-wire / Bi-Amp
Recommended Placement	Floor
Recommended Distance from rear wall to speaker's rear side [cm]	>35
Magnetic Shielding	No
Dimensions (H x W x D) [mm]	1225 x 264 x 485
Dimensions (H x W x D) [inches]	48.23 x 10.39 x 19.09
Dimensions with base (H x W x D) [mm]	1262 x 353 x 497
Dimensions with base (H x W x D) [inches]	49.69 x 13.90 x 19.57
Weight [kg/lb]	47.5/104.7
Accessories	DALI Spike Set, DALI Terminal Link Set, Base plate, Polishing cloth, Rubber feet, Manual

DALI EPICON 6

Frequency Range [+/- 3] dB [Hz]	35-30,000
Sensitivity [2.83V/1m] [dB]	88.0
Nominal Impedance [ohms]	5
Maximum SPL [dB]	110
Recommended Amp. Power [Watts]	50 - 300
Crossover Frequencies [Hz]	700/2.550/15,000
Crossover Principle	2½+½-way
High Frequency Driver	1 x 29 mm soft dome 1 x 10 x 55 mm ribbon
Low Frequency/Midrange Driver(s)	2 x 6½"
Enclosure Type	Bass reflex
Bass Reflex Tuning Frequency [Hz]	32.5
Connection Input(s)	Bi-wire / Bi-Amp
Recommended Placement	Floor
Recommended Distance from rear wall to speaker's rear side [cm]	>25
Magnetic Shielding	No
Dimensions (H x W x D) [mm]	1025 x 232 x 441
Dimensions (H x W x D) [inches]	40.36 x 9.13 x 17.36
Dimensions with base (H x W x D) [mm]	1062 x 320 x 459
Dimensions with base (H x W x D) [inches]	41.73 x 12.60 x 18.07
Weight [kg/lb]	30/66.1
Accessories	DALI Spike Set, DALI Terminal Link Set, Base plate, Polishing cloth, Rubber feet, Manual

DALI EPICON 2

Frequency Range [+/- 3] dB [Hz]	47-30,000
Sensitivity [2.83V/1m] [dB]	87.0
Nominal Impedance [ohms]	4
Maximum SPL [dB]	108
Recommended Amp. Power [Watts]	30-200
Crossover Frequencies [Hz]	3.100
Crossover Principle	2-way
High Frequency Driver	1 x 29 mm soft dome
Low Frequency/Midrange Driver(s)	1 x 6½"
Enclosure Type	Bass reflex
Bass Reflex Tuning Frequency [Hz]	43.0
Connection Input(s)	Bi-wire / Bi-Amp
Recommended Placement	Stand
Recommended Distance from rear wall to speaker's rear side [cm]	>25
Magnetic Shielding	No
Dimensions (H x W x D) [mm]	386 x 214 x 366
Dimensions (H x W x D) [inches]	15.20 x 8.43 x 14.41
Dimensions with base (H x W x D) [mm]	-
Dimensions with base (H x W x D) [inches]	-
Weight [kg/lb]	10.3/22.7
Accessories	DALI Terminal Link Set, Polishing cloth, Rubber feet, Manual

DALI EPICON VOKAL

Frequency Range [+/- 3 dB] [Hz]	49-30,000
Sensitivity [2.83 V/1m] [dB]	89.5
Nominal Impedance [Ω]	6
Maximum SPL [dB]	111
Recommended Amp. Power [Watt]	50 - 300
Crossover Frequencies [Hz]	2,750/15,000
Crossover Principle	2+½-way
High Frequency Drivers [mm]	1 x 29 mm soft dome 1 x 10 x 55 ribbon
Low Frequency Drivers [inches]	2 x 6½"
Enclosure Type	Bass Reflex
Bass Reflex Tuning Frequency [Hz]	46,5
Terminals	Bi-wire / Bi-Amp
Recommended Placement	Below TV screen/on stand
Recommended distance from rear wall to speaker's rear side (cm)	>5
Magnetic Shielding	No
Dimensions [HxWxD] [mm]	247 x 816 x 349
Dimensions [HxWxD] [inches]	9.65 x 32.13 x 13.74
Weight [kg/lb]	18.4/40.6
Accessories included	DALI Terminal Link Set, Polishing cloth, Damper feet, Manual

All technical specifications are subject to change without notice.

DALI SUB P-10 DSS

Frequency Range [+/- 3 dB] [Hz]	24-250
Crossover Frequencies [Hz]	40-120
Sensitivity [2.83 V/1m] [mV]	Cinema mode: 76 Hifi mode: 91
Connection Inputs	RCA, Stereo (low-pass filtered) LFE (Mono)
Maximum SPL [dB]	112
Max. Amplifier Power Output [RMS Watts]	500
Continous IEC Power Output [RMS Watts]	300
Max Power Consumption [Watts]	550
Low Frequency Drivers [inches]	1 x 10" long stroke active, 2 x 10" long stroke passive
Enclosure Type	Closed box with dual passive radiators
Recommended Placement	Floor, near wall or corner
Recommended distance from rear wall to speaker's rear side (cm)	>5
Magnetic Shielding	No
Dimensions [HxWxD] [mm]	370 x 340 x 340
Dimensions [HxWxD] [inches]	14.6 x 13.4 x 13.4
Weight [kg/lb]	19.5/43.0
Accessories included	Spike set, Manual, Remote Control

DALI EPICON STAND

Dimensions (without spikes) [HxWxD] [mm]	531 x 275 x 401
Dimensions (without spikes) [HxWxD] [inches]	20.91 x 10.83 x 15.79
Weight (kg/lb)	10.4/22.9
Accessories	DALI Spike Set, Manual, 3 x M6 Screw





IN ADMIRATION OF MUSIC

DALI A/S | Dali Allé 1 | DK-9610 Noerager | Denmark | Tel: +45 96 72 11 55 | Fax: +45 98 55 19 40

www.dali-speakers.com | www.dali-epicon.com